

|                                                                                                             | typ         | černá verze | kód       | velikost | hmotnost M/L (g) | pas (cm) | nohavíčka (cm) | výška (cm) |
|-------------------------------------------------------------------------------------------------------------|-------------|-------------|-----------|----------|------------------|----------|----------------|------------|
| <b>EXPERT 3D</b><br>       | standard    | ✓           | W0078DR02 | S        | 2110             | 65–80    | 45–60          | 150–170    |
|                                                                                                             |             | ✓           | W0078DR03 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                             |             | ✓           | W0078DR05 | XL       |                  | 85–130   | 50–75          | 175–205    |
|                                                                                                             | speed       | ✓           | W0079DR02 | S        | 2415             | 65–80    | 45–60          | 150–170    |
|                                                                                                             |             | ✓           | W0079DR03 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                             |             | ✓           | W0079DR05 | XL       |                  | 85–130   | 50–75          | 175–205    |
|                                                                                                             | speed steel | ✗           | W0080DR02 | S        | 2830             | 65–80    | 45–60          | 150–170    |
|                                                                                                             |             | ✗           | W0080DR03 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                             |             | ✗           | W0080DR05 | XL       |                  | 85–130   | 50–75          | 175–205    |
| <b>PROFI WORKER 3D</b><br> | standard    | ✓           | W0081DR02 | S        | 1777             | 65–80    | 45–60          | 150–170    |
|                                                                                                             |             | ✓           | W0081DR03 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                             |             | ✓           | W0081DR05 | XL       |                  | 85–130   | 50–75          | 175–205    |
|                                                                                                             | speed       | ✓           | W0082DR02 | S        | 2075             | 65–80    | 45–60          | 150–170    |
|                                                                                                             |             | ✓           | W0082DR03 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                             |             | ✓           | W0082DR05 | XL       |                  | 85–130   | 50–75          | 175–205    |
| <b>TECHNIC</b><br>        | standard    | ✗           | W0063BB02 | S        | 1725             | 65–80    | 45–60          | 150–170    |
|                                                                                                             |             | ✗           | W0063BB03 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                             |             | ✗           | W0063BB05 | XL       |                  | 85–130   | 50–75          | 175–205    |
|                                                                                                             | speed       | ✗           | W0064BB02 | S        | 2045             | 65–80    | 45–60          | 150–170    |
|                                                                                                             |             | ✗           | W0064BB03 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                             |             | ✗           | W0064BB05 | XL       |                  | 85–130   | 50–75          | 175–205    |
| <b>TECHNIC ANSI</b><br>  | standard    | ✗           | W0103BB02 | S        | 1805             | 65–80    | 45–60          | 150–170    |
|                                                                                                             |             | ✗           | W0103BB03 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                             |             | ✗           | W0103BB05 | XL       |                  | 85–130   | 50–75          | 175–205    |
|                                                                                                             | speed       | ✗           | W0104BB02 | S        | 2085             | 65–80    | 45–60          | 150–170    |
|                                                                                                             |             | ✗           | W0104BB03 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                             |             | ✗           | W0104BB05 | XL       |                  | 85–130   | 50–75          | 175–205    |
| <b>RESCUE MASTER</b><br> | standard    | ✗           | W0113SB02 | S        | 1320             | 65–85    | 45–60          | 150–170    |
|                                                                                                             |             | ✗           | W0113SB03 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                             |             | ✗           | W0113SB05 | XL       |                  | 90–130   | 50–75          | 175–205    |
|                                                                                                             | speed       | ✗           | W0113SS02 | S        | 1425             | 65–85    | 45–60          | 150–170    |
|                                                                                                             |             | ✗           | W0113SS03 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                             |             | ✗           | W0113SS05 | XL       |                  | 90–130   | 50–75          | 175–205    |
| <b>WIND MASTER</b><br>   |             | ✗           | W0112BY02 | S        | 2400             | 65–80    | 45–60          | 150–170    |
|                                                                                                             |             | ✗           | W0112BY03 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                             |             | ✗           | W0112BY05 | XL       |                  | 85–130   | 50–75          | 175–205    |



|                                                                                                               | typ      | černá verze | kód       | velikost | hmotnost M/L (g) | pas (cm) | nohavička (cm) | výška (cm) |
|---------------------------------------------------------------------------------------------------------------|----------|-------------|-----------|----------|------------------|----------|----------------|------------|
| <b>ROOF MASTER</b><br>       |          | ×           | W0091BY02 | S        | 1830             | 65–80    | 45–60          | 150–170    |
|                                                                                                               |          | ×           | W0091BY03 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                               |          | ×           | W0091BY03 | XL       |                  | 85–130   | 50–75          | 175–205    |
|                                                                                                               |          |             |           |          |                  |          |                |            |
| <b>TACTIC MASTER</b><br>     |          | ✓           | W0096BB02 | S        | 1740             | 70–85    | 45–60          | 150–170    |
|                                                                                                               |          | ✓           | W0096BB03 | M/L      |                  | 80–100   | 50–75          | 160–180    |
|                                                                                                               |          | ✓           | W0096BB05 | XL       |                  | 90–130   | 50–75          | 175–205    |
|                                                                                                               |          |             |           |          |                  |          |                |            |
| <b>SEAMASTER 3D</b><br>     |          | ×           | W0074DR03 | S        | 1870             | 65–80    | 45–60          | 150–170    |
|                                                                                                               |          | ×           | W0074DR03 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                               |          | ×           | W0074DR05 | XL       |                  | 85–130   | 50–75          | 175–205    |
|                                                                                                               |          |             |           |          |                  |          |                |            |
| <b>ANTISHOCK I</b><br>     | standard | ×           | W0086B002 | S        | 2430             | 65–80    | 45–60          | 150–170    |
|                                                                                                               |          | ×           | W0086B003 | M/L      |                  | 75–100   | 50–75          | 160–180    |
|                                                                                                               |          | ×           | W0086B005 | XL       |                  | 85–130   | 50–75          | 175–205    |
|                                                                                                               |          |             |           |          |                  |          |                |            |
| <b>TARZAN ECONOMIC</b><br> |          |             | W0059BR   | UNI      | 1050             | 60–130   | 55–75          | 150–200    |
|                                                                                                               |          |             |           | S        | 960              | 60–100   | 35–55          | 110–150    |
|                                                                                                               |          |             |           |          |                  |          |                |            |
| <b>ROPEDANCER</b><br>      |          | ×           | W0087BY01 | XS       | 1195             | 50–80    | UNI            | 125–155    |
|                                                                                                               |          | ×           | W0087BY03 | S/M/L    |                  | 65–100   | UNI            | 150–185    |
|                                                                                                               |          | ×           | W0087BY05 | XL/XXL   |                  | 85–155   | UNI            | 180–210    |
|                                                                                                               |          |             |           |          |                  |          |                |            |

|                                                                                                                  | typ                                                                                                         | černá verze | kód       | velikost  | hmotnost M/L (g) | pas (cm) | nohavička (cm) | výška (cm) |
|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-------------|-----------|-----------|------------------|----------|----------------|------------|
| <b>BODY</b><br>                 | standard                                                                                                    | ✓           | W0068BR03 | S/M/L     | 1025             | UNI      | 45–70          | 150–185    |
|                                                                                                                  |                                                                                                             | ✓           | W0068BR05 | XL/XXL    |                  | UNI      | 45–85          | 180–210    |
|                                                                                                                  |                                                                                                             | ✓           | W0068BR07 | XXXL      |                  | UNI      | 45–95          | 180–210    |
|                                                                                                                  | speed                                                                                                       | ✓           | W0071BR03 | S/M/L     | 1185             | UNI      | 45–70          | 150–185    |
|                                                                                                                  |                                                                                                             | ✓           | W0071BR05 | XL/XXL    |                  | UNI      | 45–85          | 180–210    |
|                                                                                                                  |                                                                                                             | ✓           | W0071R07  | XXXL      |                  | UNI      | 45–95          | 180–210    |
| <b>BODY II ENERGY SPEED</b><br> | speed                                                                                                       | ✗           | W0093SY02 | S/M/L     | 2250             | 75–125   | 55–70          | 150–185    |
|                                                                                                                  |                                                                                                             | ✗           | W0093SY05 | XL/XXL    | 2450             | 85–135   | 65–90          | 180–210    |
|                                                                                                                  |                                                                                                             | ✗           | W0093SY07 | XXXL      | 2600             | 100–160  | 65–105         | 180–210    |
|                                                                                                                  | <b>BASIC</b><br>          |             | ✗         | W0089SY02 | S/M/L            | 820      | UNI            | 45–70      |
| ✗                                                                                                                |                                                                                                             |             | W0089SY05 | XL/XXL    | UNI              |          | 45–85          | 180–210    |
| <b>POLE</b><br>               |                                                                                                             |             | ✓         | W0073BY02 | S/M/L            | 585      | 75–100         |            |
|                                                                                                                  | ✓                                                                                                           |             | W0073BY03 | XL/XXL    | 85–130           |          |                |            |
|                                                                                                                  | ✓                                                                                                           |             | W0073BY05 | XXXL      | 95–150           |          |                |            |
|                                                                                                                  | <b>SIT WORKER 3D</b><br> | standard    | ✓         | W0075DR02 | S                | 1195     | 65–80          | 45–60      |
| ✓                                                                                                                |                                                                                                             |             | W0075DR03 | M/L       | 75–100           |          | 50–75          |            |
| ✓                                                                                                                |                                                                                                             |             | W0075DR05 | XL        | 85–130           |          | 50–75          |            |
| speed                                                                                                            |                                                                                                             | ✓           | W0076DR02 | S         | 1515             | 65–80    | 45–60          |            |
|                                                                                                                  |                                                                                                             | ✓           | W0076DR03 | M/L       |                  | 75–100   | 50–75          |            |
|                                                                                                                  |                                                                                                             | ✓           | W0076DR05 | XL        |                  | 85–130   | 50–75          |            |
| <b>URBAN II</b><br>           |                                                                                                             | standard    | ✓         | W0022BB02 | S                | 850      | 55–80          | 45–60      |
|                                                                                                                  | ✓                                                                                                           |             | W0022BB03 | M/L       | 75–100           |          | 50–75          |            |
|                                                                                                                  | ✓                                                                                                           |             | W0022BB05 | XL        | 85–130           |          | 50–75          |            |



|                                                                                                    | typ   | černá verze | kód       | velikost | hmotnost M/L (g) | pas (cm) | nohavička (cm)    | výška (cm) |
|----------------------------------------------------------------------------------------------------|-------|-------------|-----------|----------|------------------|----------|-------------------|------------|
| ALADIN<br>        |       | ✓           | C5056     | UNI      | 240              |          |                   |            |
| RL CHEST<br>      |       | ✓           | W0200BB   | UNI      | 600              |          | chest max. 125/49 |            |
| ARBO CHEST<br>   |       | ×           | W0108BR00 | UNI      | 160              |          |                   | 150–210    |
| ARBO MASTER<br> | speed | ×           | W0105BR02 | S/M/L    | 1680             | 65–100   | 45–65             |            |
|                                                                                                    |       | ×           | W0105BR05 | XL       | 1760             | 85–130   | 55–75             |            |